

(, .xml) _(xml), , , .

:

1. (),,1 SAP , .
2. _(XML-) .CF1 ("\\ .CF1"), , , .
3. -().
4. .work ()
5. (,) .ok (*.CF1.ok)
6. (*.CF1.ok) (resultcode resultmsg) .
7. -, , , , .err (*.CF1.err)

CF2. , , (XML,), ,

CF2 .

CF2:

- 1) CF2: id_author, id_recipient, filename, filesize, file_guid, file_address, file_address_sig, primedoctype, parent_type, parent_guid
- 2) , file_address:
- 3) file_address_sig,
- 4) file_address_sig , , CF2. .
- 5) CF2 - .

xml- CF1\CF2.

"+" .

XML- _

				12	\\	(doc/pdf/jpg)
id_author	(3 :)	,	string [4-46]			+
id_recipient	(3 :)	-	string [4-46]			+
primedoctype			integer			+
file_address			string [4-250]	+	+	+
file_address_cer		, , CF1 -.				
file_address_sig		,	string[255]			
id_doctype	25_2010_N 558	[0..1003]	integer			
file_name	, file_address		string [1-250]			+
file_guid	,	36 ,	string [36]			+
file_sha1	160- sha-1, -	-	string [0,40]			
file_size	, -	-	integer			
parent_type	- (primedoctype -)		integer	+	+	+
parent_guid	-	, file_guid	string [0,36]	+	+	+
use_crypt			integer			
use_sig			integer			
use_zip			integer			

resultmsg		-.	string [0..5000]				
resultcode			integer				
dt_send	(UTC)	:	dateTime(ISO 8601)				
doc_date		(PDFXLS)	date				+ *
doc_number		(PDFXLS)	string [0,50]				+ *
doc_sum		(PDFXLS), : , : 123.45 = 123 45	string [0,20]				+ *
thumbprint	, , 40	(id_author)	string 40				

(primedoctype) - (XML)
 ()

[\(primedoctype\)](#) .